What is claimed is:

5

10

15

20

25

- 1. A gas discharge panel having at least a protective film containing a driving voltage-reducing compound.
- 2. A gas discharge panel according to claim 1, in which the driving voltage-reducing compound is selected from inorganic compounds comprising hydrogen and carbon monoxide; hydrocarbons comprising methane, ethane, propane, butane, ethylene, acetylene, vinylacetylene, methoxyacetylene, ethoxyacetylene, propylene, propine, allene, 2-methylpropene, isobutane, 1-butene, 2-butene, 1,3-butadiene, 1,2-butadiene, 1,3-butadiyne, bicyclo[1.1.0]-butane, 1-butyne, 2-butyne, cyclopropane, cyclobutane and cyclobutene; ethers comprising dimethyl ether, diethyl ether, ethylmethyl ether, methylvinyl ether, divinyl ether, diethylene glycol monobutyl ether, 1,4-dioxine, diethylene glycol monobutyl ether acetate and furan; alcohols comprising methanol, ethanol, 1-propanol, 2-propanol, 1-butanol, 2-butanol, t-butyl alcohol, isobutyl alcohol, 2-propine-1-ol, 2-butynal, a-terpineol; aldehydes comprising formaldehyde, acrylaldehyde, malealdehyde and crotonaldehyde; ketones comprising ketene, diketene, dimethylketene, 2-butanone, 3-butyne-2-on and cyclobutanone; and organic acids comprising 2-butynic acid and crotonic acid.
- 3. A gas discharge panel according to claim 2, in which the driving voltage-reducing compound is selected from 1-propanol, diethylene glycol monobutyl ether acetate, methane, a-terpineol and

1-butanol.

4. A gas discharge panel according to claim 1, in which the driving voltage-reducing compound is contained in the range of 0.1 to 2.0% by weight with respect to the protective film.

5. A gas discharge panel according to claim 1, further comprising a phosphor layer exposed to a discharge space, the phosphor layer is constituted from an anti-reducing phosphor.

10

5

6. A gas discharge panel according to claim 5, in which the discharge space is formed between a pair of substrates, the phosphor layer is exposed to the discharge space on one substrate, and the protective film is exposed to the discharge space on other substrate.

33.

15

7. A method of producing a gas discharge panel comprising the step of forming a protective film containing a driving voltage-reducing compound by exposing a protective film to an atmosphere of driving voltage-reducing compound directly after forming the protective film.

20

25

8. A method of producing a gas discharge panel comprising the step of exposing a protective film to an atmosphere of driving voltage-reducing compound after irradiating the protective film with vacuum UV rays, thereby forming a protective film containing a driving voltage-reducing compound.

9. A method of producing a gas discharge panel comprising the steps of heating a protective film to 300°C or more, cooling the same to atmospheric temperature, and then exposing the protective film to an atmosphere of driving voltage-reducing compound, thereby forming a protective film containing a driving voltage-reducing compound.